

## Декларация за съответствие на ЕК

Издава се съгласно директивата за произвеждане на продукти

Настоящото се издава в съответствие с директива на Съвета 89/106/ЕЕС от 21 декември 1988 по отношение на строителни продукти, включително допълненията.

### Forbo Flooring Systems

Завод: Forbo Flooring B.V.  
Industrieweg 12  
NL-1566 JP Assendelft

декларира, че продуктите за подови настилки използват

обикновен и декоративен линолеум с номинална дебелина 4,0 мм, в съответствие със стандарта за продукти EN 548, и носят следното търговско име:

### Marmoleum Real 4,0 mm




е в съответствие с изискванията на: EN 14041:2004

Характеристика	Стандарт	Декларация за производителност
Реакция на огън Номер на приложения сертификат за съответствие на ЕК	EN 13501-1	Клас Сл - S1  0432 - CPD - 13 5777
Съпротивление на хлъзгане	EN 13893	Клас DS
Електрически показатели Антистатично подово покритие	EN 1815	Основно напрежение ≤ 2,0 kV
Топлинна проводимост	EN 12524	0,17 W / m.K

Съответствието е доказано чрез използване на система 1 в Приложението ZA от EN 14041:2004

Дата: 11 декември 2006 г.



Bram Delfos  
Оперативен директор  
Forbo Flooring B.V.

**EC-CERTIFICATE OF CONFORMITY****0432 - CPD - 13 5777**

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

**Marmoleum Real 4,0**

homogenous linoleum floor covering classified as C<sub>fl</sub>-s1 according to DIN EN 13501-1 in the horizontal use - with or without using adhesives - applied on substrates of class A1<sub>fl</sub>/A1 or A2<sub>fl</sub>/A2 according to DIN EN 13501-1 with a raw density of at least 1350 kg/m<sup>3</sup>

placed on the market by

**FORBO flooring**  
P.O. Box 13  
NL - 1560 AA Krommenie

and produced in the factory

**Krommenie**

is submitted

- by the manufacturer to a factory production control and
- to the further testing of samples taken at the factory in accordance with a prescribed test plan

and that the approved body - MPA NRW - has performed

- the initial type-testing for the relevant characteristics of the product
- the initial inspection of the factory and of the factory production control and
- the continuous surveillance, assessment and approval of the factory production control.


This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

**DIN EN 14041 (2006-04)**

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 09 April 2004 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Dortmund, 09 April 2007



Dipl.-Ing. Rademacher  
Head of the certification body